

Dome Fiber Optic Splice Closure

Model : JC-V-019

Description:

Fiber optic splice closure JC-V-019 is an equipment that used for optical fiber cable splicing, joint and protection. It is water proof and dust proof and suitable for outdoor aerial hanged, pole mounted, wall mounted, duct, buried application.




Features:

- ✧ Material: Outside PP closure body, inside ABS splice tray
- ✧ Sealing structure: Heat shrinkable sealing
- ✧ IP standard: IP68
- ✧ Cable port: 1 oval port 24.5*50mm + 4 round ports (2pcs Φ 20mm & 2pcs Φ 16mm)
- ✧ Capacity: Max. 48 fibers
- ✧ Splice tray: only 1pc, two sides are same design, each side 12 slots for max. 24 fibers splicing.
- ✧ Simplified design, very easy for installation and maintenance.


Specification:

Model	Dimension	Material	Splice tray	Max. capacity	Cable port	Structure
JC-V-019	Φ139.8x349.1mm	PP	1PC	48 FO	1 oval & 4 round port	Heat shrinkable sealing

Drawing: (mm)



Cable management drawings:



Accessories:

Item	Name	Specification	Qty
1	Fiber optic heat protect shrinkable sleeve	Length 60mm	48 pcs
2	Heat shrinkable sleeve	Φ25*100mm black	2 pcs
3	Heat shrinkable sleeve	Φ30*100mm black	2 pcs
4	Heat shrinkable sleeve	φ45*120mm black	1 pc
5	Cable tie	Length 120mm	6 pcs
6	Aerial hanged accessories	Stainless steel	1 set

Optional accessories:

Item	Name	Model	Qty	Remark
1	Pole mounted accessories	/	1 set	Pole mounted application

Picture :

